

Figure Manuscript

Figure 5.1. Block diagram of a PCM encoder	1
Figure 5.2. Block diagram of a PCM decoder	2
Figure 5.3. Sawtooth waveform with $k=10$	3
Figure 5.4. Sawtooth waveform with $k=100$	4
Figure 5.5. The Sampling-Reconstruction process	5
Figure 5.6 Spectrum replication due to sampling	6
Figure 5.7 Graph of the m-law transfer function, with $m=255$	7
Figure 5.8 The saw wave output	8
Figure 5.9. The OscopFrame SaveMenu Permits the saving of Vector Output.....	9
Figure 5.10. An example of the vector output from the OscopFrame	10
Figure 5.11. The Triangle Wave in the Oscop Frame	11
Figure 5.12. Another View of the Triangle Wave in the OscopFrame	12




Figure 5.1. Block diagram of a PCM encoder




Figure 5.2. Block diagram of a PCM decoder




Figure 5.3. Sawtooth waveform with $k=10$




Figure 5.4. Sawtooth waveform with $k=100$




Figure 5.5. The Sampling-Reconstruction process




Figure 5.6 Spectrum replication due to sampling




Figure 5.7 Graph of the μ -law transfer function, with $\mu=255$.




Figure 5.8 The saw wave output




Figure 5.9. The OscopFrame SaveMenu Permits the saving of Vector Output




Figure 5.10. An example of the vector output from the `OscopeFrame`




Figure 5.11. The Triangle Wave in the Oscope Frame




Figure 5.12. Another View of the Triangle Wave in the OscScopeFrame